



Cheers360[™] Spoutless Transition Cup

Use and Cleaning DISASSEMBLY

- Unscrew the VALVE COLLAR from the CUP.
- From the bottom side, push up through center hole of VALVE COLLAR to remove SILICONE VALVE.

CLEANING

- Wash all parts prior to use.
- Always use clean hands and surfaces.
- Between uses, all parts should be washed in hot, soapy water and thoroughly rinsed.
- All parts are also dishwasher safe top rack only.

ASSEMBLY

- Center SILICONE VALVE on top of VALVE COLLAR, press firmly in center to snap in place. Ensure valve is secure by pressing around inner ring.
- Screw the VALVE COLLAR onto the CUP.

NEXT MILESTONE

- Once baby is ready for a regular cup, the Cheers360™ can be used without the valve.
- Remove the SILICONE VALVE from the VALVE COLLAR.
- Screw the empty VALVE COLLAR onto the CUP.

For Your Child's Safety and Health WARNING!

- Always wash all components immediately after use.
- Hot or carbonated liquids are not recommended.
- Due to the risk of hotspots and over-heating, use of a microwave oven is not recommended.
- Avoid overly aggressive cleaning of any parts to prevent damage to sealing surfaces.
- Do not boil or microwave to sterilize parts.
- Do not leave the product in direct sunlight or heat, store the product in a dry environment.
- Keep all components not in use out of the reach of children.
- Before each use, inspect all components for wear or damage.
- To prevent a possible choking hazard, test the strength of the valve regularly by pulling hard on the valve while looking for cracks or wear.
- Always use with adult supervision and do not leave child unattended with the transition cup.
- Do not allow a child to walk or run while using cup.
- Extended contact with milk, formula, juice or sweet liquids may cause severe tooth decay.
- If any component becomes cracked, torn or shows other signs of excessive wear, discontinue use immediately and discard worn or damaged parts.
- Be sure to contact your physician with any feeding problems or questions.
- Allowing your child to use this product for prolonged periods separate from regular mealtimes or to go to sleep while drinking liquids, other than water, from this transition cup may cause or contribute to early childhood tooth decay.